



OPEN PLAN - BENCHING


ALWAYS AHEAD

OPEN PLAN SOLUTIONS FOR  
EVERY LAYOUT AND FUNCTION.




Ambition (Pages 4-13)

Freestanding Power/Data Beam  
Fixed Height or Height-Adjustable Applications  
Workstation Depth: 24", 30"  
Workstation Width: 48", 60", 72"  
Maximum Screen Height, from Floor: 45"H  
Power/Data Access Location: Above or Below worksurface  
Up to 36 foot spans with numerous beam support options  
Acoustic 2- and 3- sided screens and sliding top tables available




XTB4 (Pages 14-19)

Electric Height-Adjustable Linked Bench  
Sit/Stand or ANSI/BIFMA Adjustment Range  
Workstation Depth: 24", 30"  
Workstation Width: 48", 54", 60", 72"  
Maximum Screen Height, from Floor: 43"H  
Power/Data Access Location: Below worksurface  
Includes cable managers that mount directly from worksurface to power trough  
Worksurface mounted screens and other desk accessories available




eBench (Pages 20-25)

Fixed Height Applications  
Worksurface Height: 29"  
Workstation Depth: 24", 30"  
Workstation Width: 48", 60", 72"  
Maximum Screen Height, from Floor: 50"H  
Power/Data Access Location: Below worksurface  
Sliding tops for easy power/data access  
End panels, CPU holders, and screen options available



Grid (Pages 26-33)

Fixed/Tethered or Freestanding Frames  
Fixed Height or Height-Adjustable Applications  
Workstation Depth: 18", 24", 30", 36"  
Workstation Width: 30", 48", 60", 72", 84"  
Maximum Screen Height, from Floor: 58"H  
Power/Data Access Location: Above or Below worksurface  
Kit of parts construction, flexible for day 2 configurations  
Numerous accessory and finish options available





## AMBITION™

### Enable Productivity

Designed to radically improve the office aesthetic of adjustable-height workspaces through fewer supports and cable management, the Ambition beam is the backbone that cleanly delivers power and data where it's needed most.





REACH FURTHER... 36 FEET, OR  
A FULL 12-PACK, TO BE EXACT.



Clutter-Free Design With Robust Power And Data Delivery

Ambition Beams deliver power and data to a full 12-pack with only two supports. The result? A clean, open-plan aesthetic that supports today's workplace technology. Wires run vertically through any base, and horizontally through the beam.



Solano T-foot



Sawhorse



Low-profile T-foot



Bolt-down Leg



# LET AMBITION ADD FUNCTION THROUGHOUT THE OPEN PLAN

## Reduce. Reuse. Recycle. Revolutionize.

Ambition credenzas are designed for pack-based storage, waste, and recycling. Credenzas and end panels support the Ambition Beam, and feature integrated wire management to route cables from a power source into the beam. End panels are available in laminate or acoustic PET material.




Ambition Credenza with optional pressed PET drawers and storage cubes.



Pack-based storage with integrated wire management.






### Clever Storage With Sliding Tops

An integrated trough, paired with a sliding top, provides quick access to power, data, and plenty of storage. The perfect place to stash cables, supplies, and snacks. Pairs with Solano VT-Series electric height-adjustable bases.



## AMBITION ACCESSORIES ADD PERFORMANCE TO EACH WORKSTATION



### Details Matter

Ambition screens are precision cut and designed to create acoustic and visual privacy. Acoustic screens are available in 2- and 3-sided configurations, with solid or perforated designs.



DESIGNED  
TO MAXIMIZE  
LEG SPACE



Leg space with Low Profile T-foot beam supports and nested Skinny ped for Ambition 60"W workstation.

#### Workstations That Work Harder

Maximize the efficiency of your space with single-sided Ambition beams. Use low profile beam supports to allow freestanding table bases to sit directly over the foot. Use bolt-down legs for single-rows and aisle conditions. Achieve a seamless and complete look with an in-line modesty panel to hide any below-desk clutter.







---

X T B 4 <sup>TM</sup>

#### Next Generation Linked Benching

After nearly a decade producing market-leading linked benching, XTB4 is Enwork's newest product platform. The 4<sup>th</sup> generation product line features refined details including integrated screen options, clutter-free wire management, and simplified part numbers to make specifying easy. Industry-leading electric bases with gyroscopic anti-collision sensor and whisper-quiet motors ensure safe and pleasant workspaces.



INTEGRATED. INTENTIONAL.  
INSPIRED.



Healthy Movement In Any Configuration

XTB4 inspires movement and variation in user postures without adding clutter to the workspace. A variety of configurations are possible; each with beautifully integrated height-adjustable bases, clean wire management and privacy screens. If improved employee health and organized planning are priorities, XTB4 is an ideal open plan solution.



Single-Sided 3-Pack



Extended-Corner 6-Pack




120-Degree 6-Pack



COMPLETELY  
CONCEALED  
POWER AND DATA



Standard Up/Down Controller      Optional Programmable Handset







---

E B E N C H <sup>TM</sup>

#### Contemporary Design, Startup Price Point

eBench workstations pack style, function, and technology integration into a simple, uncluttered package. The highly tooled steel structure creates a long-lasting, robust foundation. Inset shared legs provide ample room for storage components without sacrificing knee space. End panels enhance privacy while providing options for aesthetic customization.





Precision Tooled Benching

Low profile 3/4" eBench tops slide out to allow pocket access to the included 8-wire, 4-circuit power system within the integrated cable trough. Concealed wires leave worksurfaces uncluttered and provide an overall clean aesthetic for your space.



STORAGE  
AT YOUR  
FINGERTIPS



3/4" Surfaces appear to float over the robust leg structure






Complements Any Interior Design Theme

The sliding top and integrated cable trough features are also standard in single-sided applications. With straight legs and privacy/modesty screens, eBench provides the perfect solution for aisle conditions.



Amp up your workstation power with in-surface convenience outlets, clamp-on Axil-X or below surface mounted Satellite power/data units.

PAIRS WELL  
WITH MODERN DAY  
ARCHITECTURAL TRENDS



Magnetic leg cover allows concealed wires to route vertically to building power.





---

GRID™

#### Reconfigurable And Expandable

Grid environments are scalable, reconfigurable and affordable. They have the planning familiarity of a panel system with more options than typical benching products. Choose in-line, 90, or 120 planning with above or below worksurface power/data access. Use Grid for high density touch-down spaces, large workstations, or anything in-between.



ENDLESS CONFIGURATIONS.  
SCALABLE DESIGN.



**Enwork's Most Flexible Open-Plan Product**

Grid is designed to accommodate any workspace need. Multiple screen heights and layouts are achievable. Grid is easily reconfigurable when layouts change.



Single-Sided 2-Pack



Extended-Corner 4-Pack



120-Degree 6-Pack



## LONG TERM PERFORMANCE BY DESIGN

### Equal Parts Design And Engineering

Grid's kit of parts provides Day 2 flexibility for what is required today or tomorrow. Above or below worksurface, power/data access for each user is integrated through the modular Grid Frame. Choose between Mini, Standard, and Mega frame heights depending on your aesthetic and data cabling requirements.

Beam positions above and below the worksurface.



Mini Frame Grid



Standard Frame Grid



Mega Frame Grid



### Powered Up Workstations

The factory installed power system and lay-in cabling reduce installation time. Each workstation receives two duplex receptacles and two data ports.



DESIGNED FOR  
TECHNOLOGY  
INTEGRATION AND  
ROBUST PRIVACY



Power Pole options, Lay-in cabling, and infeed leg detail

INDUSTRY-LEADING ADJUSTABILITY. COMPELLING  
PRICE POINTS AND INCREDIBLE QUALITY.

ALL BASES SHIP IN 48 HOURS.

Solano VT2 Electric - Sit/Stand  
1-Stage (2-tube)

Load Capacity:	220 lbs (2-Leg)	240 lbs (3-Leg)
(Capacity is incremental of worksurface)		
Supports Top Depths:	24", 30"	
2-Leg Base Supports Top Widths:	48" to 72"	
Individual Bosch® motor per leg, standby energy: 0.11 W		

Solano VT2 Electric - Extended Range  
2-Stage (3-tube)

Load Capacity:	220 lbs (2-Leg)	240 lbs (3-Leg)
(Capacity is incremental of worksurface)		
Supports Top Depths:	24", 30"	
2-Leg Base Supports Top Widths:	48" to 72"	
3-Leg Base Supports Top Widths:	36" to 72"	
Individual Bosch® motor per leg, standby energy: 0.11 W		

Solano VT-Series Electric  
2-Stage (3-tube)

Load Capacity:	220 lbs (2-Leg)	240 lbs (3-Leg)
(Capacity is incremental of worksurface)		
Supports Top Depths:	24", 30"	
2-Leg Base Supports Top Widths:	48" to 72"	
With optional cross bar kit:	84" to 96"	
3-Leg Base Supports Top Widths:	60" to 78"	
Streak-free tube bushings match paint color		
No visible exterior fasteners		

Solano Fast Crank  
1-Stage (2-tube)

Load Capacity:	110 lbs (moving)	210 lbs (static)
(Capacity is incremental of worksurface)		
Supports Top Depths:	24", 30"	
Supports Top Widths:	48" to 72"	

HEIGHT - ADJUSTMENT

Adjusts via Bosch® electric motor in each leg,  
at a rate of 1.4" per sec.



HEIGHT - ADJUSTMENT

Adjusts via Bosch® electric motor in each leg,  
at a rate of 1.4" per sec.



HEIGHT - ADJUSTMENT

Adjusts via Bosch® electric motor in each leg,  
at a rate of 1.4" per sec.



HEIGHT - ADJUSTMENT

Adjusts via manual crank at a rate of 2 turns per inch



CONTROLLER

Standard with up-down  
controller. Optional programmable  
controller available.



CONTROLLER

Standard with up-down  
controller. Optional programmable  
controller available.



CONTROLLER

Standard with programmable  
controller with 3 preset buttons and  
Logic Data range limiting capability




CRANK HANDLE

Telescoping handle tucks beneath  
worksurface while inactive and pulls  
out toward user for easy use



PAINT

Trim ring is always black



Arctic White   Silver

PAINT

Trim ring is always black



Arctic White   Silver

PAINT

Trim ring matches paint color



Arctic White   Black   Silver

PAINT

Trim ring matches paint color



Arctic White   Black   Silver

OTHER OPTIONS

Caster Kit for 2-Leg Base

Changes height range by adding 1.5" to both high  
and low ends of the range

OTHER OPTIONS

Caster Kit for 2-Leg Base

Changes height range by adding 1.5" to both high  
and low ends of the range

OTHER OPTIONS

Caster Kit for 2-Leg Base

Changes height range by adding 1.5" to both high and low ends of the range

120 Bracket Kit (converts 3-Leg base)

OTHER OPTIONS

Caster Kit

Changes height range by adding 1.5" to both high  
and low ends of the range



UNIVERSAL STORAGE

Storage For Archival And Day-To-Day Needs

Shared designs and material palettes make Universal storage products a perfect fit for all Enwork open plan products.



Apex metal storage



Dress up your workstations with Landscape storage pieces



Apex steel pedestals



Skinny 12" and 15" steel pedestals



Laminate Boxcar Storage



Steel box-lateral and bookcase storage

PRIVACY SCREENS & EDGE PROFILES



Clamp Modesty Screen



All-in-One Privacy/Modesty Screen w/ Tackboard


















Side-to-Side Clamp Screen



Pacman Screen












LAMINATES

				
Black	Designer White	Fawn Cypress	Fashion Grey	Frosty White
				
Grey Elm	High Rise	Kensington Maple	Kingswood Walnut	New Age Oak
				
Pinnacle Walnut	River Cherry	Skyline Walnut	Slate Grey	Veranda Teak

VENEER

^ Stained similar to laminate indicated. Due to the natural properties of material used, actual product color may vary significantly from image shown.

				
Maple ^ Kensington Maple	Walnut ^ Ebony Recon	Walnut ^ Pinnacle Walnut	Walnut Clear Coat	Rift Cut Oak Clear Coat
				
Cherry ^ Select Cherry	Ash - Clear Coat	Ash - Light Grey Stain	Ash - Dark Grey Stain	

P A I N T

				
Arctic White (textured)	Black	Medium Tone	Silver	Storm

NOTE: Actual colors may vary from displayed images. Please reference a laminate color chip or contact Customer Service for an actual color sample to ensure a proper color match. Not all finishes available on all products. Refer to the appropriate Price List for details.



# ENWORK

## Always Innovating

Enwork pairs well with organizations who want workspaces that not only meet their needs for agility and productivity but also reflect their innovative values and culture.

We stay ahead of trends by anticipating how to best optimize spaces and design with creative forethought for future adaptation. Our products are developed with our client's in mind, our ordering process is straightforward, and our people are here to help you every step of the way. We partner with the best sales representatives in the business, and our industry-leading design team is happy to consult or start a specification for you. Feed your innovation. Reach out and connect with our team.



---

## HEADQUARTERS MICHIGAN

12900 Christopher Dr. S.E.  
Lowell, MI 49331  
616.987.9445  
1.800.815.7251

## SHOWROOM ILLINOIS

Merchandise Mart  
222 Merchandise Mart Place  
Suite 11-118  
Chicago, IL 60654

## DISTRIBUTION CENTER CALIFORNIA

30047 Ahern Avenue  
Union City, CA 94587

ENWORK.COM

©2019 Enwork Inc.